

RADIO CONTROLLED CHOKER SYSTEM



LUDWIGCHOKER

CONTACT



LUDWIGSYSTEM

GMBH & Co KG

LUDWIG SYSTEM GmbH & Co KG
Am Kraftwerk 3
83435 Bad Reichenhall
Germany

T +49 8651 7656 731
E info@ludwigsystem.com
W www.ludwigsystem.com

WWW.LUDWIGSYSTEM.COM

APPLICATION



ACTIVATE
HANDLE AND
LOCK IN
CHOKER BODY

BRING CABLE
AROUND
TREE AND SET
FERRULE INTO
CHOKER BODY



LIFT LOAD,
TRANSPORT AND
SET IT DOWN

RELEASE
CHOKERS
BY RADIO
CONTROL



PERFORMANCE

EFFICIENCY

More lifting
operations in time

SAFETY

Reduce risk exposure
when releasing load



**SIMPLE CHOKER SETTING
AND RELEASE BY PUSH
OF A BUTTON: ONE BY
ONE OR IN GROUPS**

SYSTEM

LUDWIGCHOKER SYSTEM



TRANSPORT CASE



RADIO CONTROL



REPEATER



TOOLS



2 SPARE HATS

MADE FOR DIFFICULT
TERRAIN IN COMBINATION WITH
CABLE CRANES OR WINCHES

TECHNICAL DATA

LUDWIGCHOKER

TWO VERSIONS

64

69

WORKING LOAD

4,5 T

10 T

PRODUCT WEIGHT

1,8 KG / 4LB

2,2 KG / 4,9LB

RADIO RANGE

30 M

CHOKER CABLE DIAMETER

11 - 13 MM

RADIO FREQUENCY

868 MHZ

RELIABLE
USER-FRIENDLY
STURDY