

# RADIO CONTROLLED HOOK SYSTEM

2 VERSIONS  
AVAILABLE:  
**2T & 5,3T**  
WORKING LOAD



LUDWIGHOOK

# CONTACT

---



**LUDWIGSYSTEM**

GMBH & Co KG

LUDWIG SYSTEM GmbH & Co KG  
Reichenhaller Straße 109  
83435 Bad Reichenhall

T +49 8651 7656 731  
E [info@ludwigsystem.com](mailto:info@ludwigsystem.com)  
W [www.ludwigsystem.com](http://www.ludwigsystem.com)


**[WWW.LUDWIGSYSTEM.COM](http://WWW.LUDWIGSYSTEM.COM)**

# VERSATILITY



LOAD  
ATTACHED  
DIRECTLY  
TO HOOK

LOAD  
ATTACHED  
BY SLING



LOAD  
STRUNG  
BY SLING



RELEASABLE  
PER RADIO



# PERFORMANCE

## EFFICIENCY

More lifting operations in time

## SAFETY

Reduce risk exposure  
when releasing load



LUDWIGHOOK



LUDWIGHOOK<sup>XL</sup>



**DETACH  
LOADS  
FROM SAFE  
DISTANCE**

# SYSTEM

LUDWIGHOOK

LUDWIGHOOK<sup>XL</sup>



RADIO CONTROL



CHARGING UNIT  
OPTIONAL: MOBILE CHARGING



BELT  
FOR RADIO CONTROL



TRANSPORT CASE

**FOR YOUR SAFETY:  
LOADS CAN BE  
DETACHED ONLY  
WHEN FULLY  
DISCHARGED**

# TECHNICAL DATA

LUDWIGHOOK

LUDWIGHOOK<sup>XL</sup>

WORKING LOAD

2,0 T

5,3 T

PRODUCT WEIGHT

2,8 KG

6,8 KG

DIMENSIONS IN MM (H x W x D)

120 · 199 · 102

249 · 154 · 179

RADIO RANGE

50 M

50 M

RADIO FREQUENCY

868 MHZ

868 MHZ

VOLTAGE

6 V

6 V

**STURDY  
HANDY  
MULTI-PURPOSE**